

Docket No.: 30331/37918
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of:
Michael Abler

Patent No.: 7,050,073

Issued: May 23, 2006

For: METHOD AND APPARATUS FOR
SCROLLING AN IMAGE TO BE PRESENTED
ON A DISPLAY UNIT

**REQUEST FOR CERTIFICATE OF CORRECTION
PURSUANT TO 37 CFR 1.322**

Attention: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Upon reviewing the above-identified patent, Patentee noted a typographical error which should be corrected.

In the Claims:

At column 11, line 22, before "one" should be added -- wherein --.

The error was not in the application as filed by applicant; accordingly no fee is required.

Transmitted herewith is a proposed Certificate of Correction effecting such amendment. Patentee respectfully solicits the granting of the requested Certificate of Correction.

Dated: February 15, 2007

Respectfully submitted,

By 

Paul C. Craane

Registration No.: 38,851

MARSHALL, GERSTEIN & BORUN LLP

233 S. Wacker Drive, Suite 6300

Sears Tower

Chicago, Illinois 60606-6357

(312) 474-6300

Attorney for Applicant

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 7,050,073
APPLICATION NO. : 10/003,552
ISSUE DATE : May 23, 2006
INVENTOR(S) : Michael Abler

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the claims:

At Column 11, line 22, before "one" add -- wherein --.

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the U.S. Postal Service on the date shown below with sufficient postage as First Class Mail, in an envelope addressed to: Attention: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Dated: February 14, 2007

Signature: _____ (Paul C. Craane)

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Paul C. Craane

MARSHALL, GERSTEIN & BORUN LLP

1

233 S. Wacker Drive, Suite 6300

Sears Tower

Chicago, Illinois 60606-6357